# This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

#### **REMARKS**

Applicants request entry of this amendment and reconsideration of the rejection of the claims. Claims 30-49 are pending in the application.

Claims 30, 33, 39, 41, and 43 have been amended to clarify the subject matter of the claims. Applicants submit these amendments are supported throughout the specification including at page 21, lines 17-30, and page 31, lines 1-29. Applicants submit that these amendments do not raise any issues of new matter.

#### Oath/Declaration

The Examiner has requested a new oath or declaration that lists all of the inventors, to prevent any uncertainty over the inventive entity caused by the earlier filing of two separate declarations in this application. Applicants note that an oath and declaration was filed on May 2, 1997 in parent application Ser. No. 08/850,058 filed May 2,1997 identifying four inventors: Robert Arathoon, Paul J. Carter, Anne M Merchant, and Leonard G. Presta. In that declaration, one of the inventors, William Robert Arathoon, added in handwriting a W. before the typewritten Robert Arathoon and signed the declaration W.R. Arathoon. The second oath or declaration was filed at the time of filing the instant application, August 12, 1999, to correct the typewritten name of one of the inventors from Robert Arathoon to William Robert Arathoon and did not name the other three inventors. As such, the second declaration is a defective oath and declaration and should be disregarded. Applicants note that there was a typographical error in the original declaration in the typing of the name Robert Arathoon and request correction of his name to W. Robert Arathoon in accord with MPEP 605.04 (b).

#### **Specification**

The Examiner objected to the specification, stating that text is missing from the top of "Appendix 1-15" due to holes punched at the top of the pages. The Examiner also objected to the placement of the Appendix directly following the phrase "What is claimed is:".

Applicants have cancelled "Appendix 1-15" and submitted Table 6.1-6.15 on fifteen pages having a larger top margin. The word "Appendix" and the original page number on each page of the original appendix are deleted and "Table 6.X" is inserted therefore, where "X" refers to subpart 1-15 of Table 6. Table 6 has been inserted at page 103, line 16.

The word "Appendix" occurs only once in the originally filed specification at page 96, line 20. The word "Appendix" has been deleted from the specification and the term "Table 6.1-6.15" has been inserted therefore. No new matter is added by these amendments. Withdrawal of these objections is respectfully requested.

#### 35 U.S.C. § 112

Claims 30-49 stand rejected under 35 U.S.C. § 112 as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Applicants have amended claims 33, 39, 41 and 43 to clarify the subject matter of the claims. Applicants submit the amendments to the claims address the Examiner's rejection.

The Examiner stated that claim 30 is indefinite because it is drawn to a method for making multispecific antibodies that comprise at least two peptides, but the method steps appear drawn to methods where the host cell comprises a nucleic acid that encodes the two or

more polypeptides as one molecule instead of two separate molecules. Applicants respectfully traverse this rejection. It is known and described in the specification that a single nucleic acid can encode one or more polypeptides and that can each be expressed as separate molecules with separate signal sequences and transcription termination sequences. See page 56, lines 26-29. In light of the specification, Applicants submit that claim 30 is not indefinite.

Applicants request withdrawal of the rejection of the claims on this basis.

#### 35 U.S.C. § 102

Claims 30-32, 37, 40, and 41 were rejected under 35 U.S.C. § 102 as being anticipated by Carter (WO 93/06217). The Examiner stated that the phrase "a common sequence" of the light chains as recited in claim 30 is broadly interpreted to even encompass light chains that have only one amino acid sequence in common. The Examiner further stated that Carter teaches methods for making bifunctional F(ab')<sub>2</sub> antibodies comprising domains comprising cysteinyl residues as multimerization domains, and thus teaches methods and host cells that are the same as that claimed. Applicants respectfully traverse this rejection.

Independent claim 30 as amended recites that the variable light chains of the first and additional polypeptides have at least 80% sequence identity. In addition, claim 30 recites that the multispecific antibody is recovered from the host cell culture.

The Carter et al reference does not disclose a multispecific antibody with light chains having at least 80% sequence identity. The Examiner's attention is called to page 21, lines 17-30 of the application, where it is stated that useful light chains from the compared panels

of the present invention are those having amino acid sequence identities of at least 80%, preferably at least 90%, more preferably at least 95%, and most preferably 100% identity. The Carter et al reference discloses a bispecific antibody with two different light chains.

The Carter et al. reference does not anticipate Applicants' claimed invention because it does not disclose all of the elements of the claims. Applicants submit that Carter does not teach that the light chains of the disclosed antibodies have a common light chain sequence as defined in the present application, i.e., wherein the common light chain sequence has at least 80% sequence identity. Applicants respectfully submit, for at least this reason that claim 30 is not anticipated by Carter. Since claims 31-32, 37, 40, and 41 each depend from, and add additional limitation to, claim 30, these claims are also patentable over Carter. Withdrawal of this rejection is respectfully requested.

Claims 30, 31, 37, 40, 41, and 42 stand rejected under 35 U.S.C. 102(b) as being anticipated by Tso (WO/93/11162). The Examiner stated that the phrase "a common sequence" of the light chains as recited in claim 30 is broadly interpreted to even encompass light chains that have only one amino acid sequence in common. The Examiner further stated that Tso teaches methods for making bispecific antibodies that comprise leucine zipper motifs as multimerization domains, and also teaches host cells and mammalian cells, and thus teaches the methods and host cells of the claims. Applicants respectfully traverse this rejection.

As stated above, as recited in independent claim 30 the variable light chain sequences have at least 80% amino acid sequence identity. Applicants submit that Tso does not disclose that the light chains have at least 80% sequence identity. Applicants respectfully submit that, for at least this reason, claim 30 is not anticipated by Tso. Since claims 31, 37,

40, 41, and 42 each depend from, and add additional limitations to, claim 30, these claims are also patentable over Tso. Withdrawal of this rejection is requested.

Claims 30-42 stand rejected under 35 U.S.C. 102(e) as being anticipated by Carter (U.S. Pat. No. 5,731,168). The Examiner stated that the phrase "a common sequence" of the light chains as recited in claim 30 is broadly interpreted to even encompass light chains that have only one amino acid sequence in common. The Examiner further asserted that Carter teaches methods for making multispecific antibodies and immunoadhesins, as well as host cells that are the same as those claimed. Applicants respectfully traverse this rejection.

As stated above, as recited in independent claim 30, variable light chains have at least 80% amino acid sequence identity. Applicants submit that Carter nowhere discloses light chains that have at least 80% sequence identity. Applicants respectfully submit that for at least this reason, Carter et al do not anticipate claim 30. Since claims 31- 42 each depend from, and add additional limitations to, claim 30, these claims are also patentable over Carter. Withdrawal of this rejection is requested.

#### 35 U.S.C. § 103

Claims 30-49 stand rejected under 35 U.S.C. § 103 as being unpatentable over Vaughan in view of Bosslet and further in view of either Ridgeway, Carter (U.S. Pat. No. 5,807,706), or Carter (WO 96/27011). In the Office Action, the Examiner concluded that it would have been obvious to make a bispecific antibody as taught by Bosslet using the identical light chains of Vaughan, and comprising the multimerization domains of Ridgeway, Carter (U.S.) or Carter (WO) such that the claims of the present invention are rendered obvious. Applicants respectfully traverse this rejection.

Independent claims 30 and 43 of the present invention recite a method of preparing a multispecific antibody comprising a first polypeptide and at least one additional polypeptide, wherein the first polypeptide comprises an interface that interacts with an interface of the additional polypeptide. Claim 30 as amended further provides that the first and additional polypeptides each comprise a binding domain comprising a light chain, wherein the variable light chains have at least 80% sequence identity. Claim 43 further provides selecting a light chain encoding nucleic acid sequence, wherein the light chain is meant to associate with the binding region of each first and additional polypeptide of the multispecific antibody.

In order to establish a prima facie case of obviousness, three basic criteria must be met, namely: 1) the references when combined must teach or suggest all of the claim limitations; 2) suggestion or motivation to, either in the references themselves or in the knowledge generally available to one of ordinary skill in the art, to modify the reference or combine the reference teachings; and 3) a reasonable expectation of success. Applicants submit that all of these requirements have not been met because, in the least, there is no motivation to combine or modify the references to obtain the claimed invention.

The Vaughan et al. reference discloses and is directed to a scFv phage library of naïve antibody variable domains. The reference reports that the same light chain is sometimes paired with different heavy chains in antibodies with different specificities. However, this reference does not teach or suggest that such light chains should be selected over other light chains or that these light chains can or should be used in bispecific antibodies. In addition, Vaughan et al. does not describe the use of multimerization domains.

The deficiency of the Vaughan et al. reference is not remedied by reference to Bosslet et al. The Bosslet et al. reference is directed to bispecific and oligospecific mono and

oligovalent receptors. This reference describes the fusion of F(ab) fragments of antibodies of different specificities by means of linkers. The Bosslet et al. reference does not teach or suggest formation of bispecific and oligospecific receptors with a common light chain. In addition, the Bosslet et al. references does not discuss or suggest the use of multimerization region in a polypeptide to form a bispecific or oligospecific receptor.

The Carter et al. references (U.S. Patent No. 5,807,706;WO 96/27011) and the Ridgeway et al. reference are directed to forming heteromultimers with a multimerization region. These references do not teach or suggest a heteromultimer with a common light chain. The Ridgeway reference is directed to an antibody/ immunoadhesin bispecific molecule and common light chains are not found in this type of bispecific molecule. The Carter et al references are directed to forming a multimerization domain and do not teach or suggest a common light chain for a bispecific antibody.

Therefore, Applicants submit that there would be no motivation to combine or modify the references as cited by the Examiner. The Vaughan et al. reference describes the occurrence of the same light chain in scFvs of different specificities in a phage display library but does not teach or suggest the selection of a common light chain over other light chains for use in a bispecific antibody. The Bosslet reference also does not describe using a common light chain in an oligospecific receptor but rather is directed to fusing F(ab)s of two different specificities. Finally, the Carter et al. and Ridgeway references concern the formation of heteromultimers using a multimerization region and also do not describe using a common light chain. Therefore, there would be no motivation to combine or modify these references to achieve Applicants' claimed invention.

Applicants respectfully submit the Examiner is improperly using hindsight reconstruction. As the Federal Circuit stated in In re Fine "we cannot use hindsight reconstruction to pick and choose among isolated disclosures in the prior art to depreciate the claimed invention." (In re Fine 837 F2d 1071, 1075 (Fed. Circ. 1998)). As in the <u>In re Fine</u> case, the examiner is picking and choosing isolated disclosures and has not established a suggestion, teaching or motivation to combine these references.

Thus, Applicants respectfully request withdrawal of the 35 U.S.C. §103 rejection of these claims.

Summary

Applicants submit that all pending claims are in condition for allowance, and notice to that effect is earnestly requested. The Examiner is invited to contact Applicants' representative at the below-listed telephone number, if it is believed that prosecution of this application may be assisted thereby.

Respectfully submitted,

MERCHANT & GOULD, P.C.

P.O. Box 2903

Minneapolis, Minnesota 55402-0903

(612) 332-5300

March 17, 2003

Katherine M. Kowalchyk

Reg. No. 36,848

#### MARKED-UP VERSION TO SHOW CHANGES MADE

#### **IN THE SPECIFICATION**

The paragraph beginning at page 95, line 29 has been amended as follows:

A large human single chain Fv (scFv) antibody library (Vaughan et al. (1996), supra) was panned for antibodies specific for eleven antigens including Axl (human receptor tyrosine kinase ECD), GCSF-R (human granulocyte colony stimulating factor receptor ECD), IgE (murine IgE), IgE-R (human IgE receptor α-chain), MPL (human thrombopoietin receptor tyrosine kinase ECD), MusK (human muscle specific receptor tyrosine kinase ECD), NpoR (human orphan receptor NpoR ECD), Rse (human receptor tyrosine kinase, Rse, ECD), HER3 (human receptor tyrosine kinase HER3/c-erbB3 ECD), Ob-R (human leptin receptor ECD), and VEGF (human vascular endothelial growth factor) where ECD refers to the extracellular domain. The nucleotide sequence data for scFv fragments from populations of antibodies raised to each antigen was translated to derive corresponding protein sequences. The V<sub>I</sub> sequences were then compared using the program "align" with the algorithm of Feng and Doolittle (1985, 1987, 1990) to calculate the percentage identity between all pairwise combinations of chains (Feng, D.F. and Doolittle, R.F. (1985) J. Mol. Evol. 21:112-123; Feng, D.F. and Doolittle, R.F. (1987) J. Mol. Evol. 25:351-360; and Feng, D.F. and Doolittle, R.F. (1990) Methods Enzymol. 183:375-387). The percent sequence identity results of each pairwise light chain amino acid sequence comparison were arranged in matrix format (See [Appendix] Table 6.1 - 6.15).

#### **IN THE CLAIMS**

- 30. (AMENDED) A method of preparing a multispecific antibody comprising a first polypeptide and at least one additional polypeptide, wherein
- (a) the first polypeptide comprises a multimerization domain forming an interface positioned to interact with an interface of a multimerization domain of the additional polypeptide,

- (b) the first and additional polypeptides each comprise a binding domain, the binding domain comprising a heavy chain and a light chain, wherein the variable light chains of the first and additional polypeptides [comprise a common sequence] have at least 80% sequence identity, the method comprising the steps of:
  - (i) culturing a host cell comprising nucleic acid encoding the first polypeptide and additional polypeptide, and the variable light chain, wherein the culturing is such that the nucleic acid is expressed; and
    - (ii) recovering the multispecific antibody from the host cell culture.
- 33. (AMENDED) The method of claim 30 wherein the multimerization domains of the first and additional polypeptides comprise a protuberance-into-cavity interaction, wherein the method further comprises:

generating a protuberance by altering the original nucleic acid encoding the first polypeptide to encode the first polypeptide with an import residue having a larger side chain volume than the original residue, and

generating a cavity by altering <u>a portion of</u> the original nucleic acid encoding the additional polypeptide to encode <u>the additional polypeptide with</u> an import residue having a smaller side chain volume that the original residue.

- 39. (AMENDED) The method of claim 30 wherein the antibody [heteromultimer] is a multispecific immunoadhesin.
- 41. (AMENDED) A host cell comprising nucleic acid encoding the <u>multispecific</u> antibody [heteromultimer] of claim 30 [13].
  - 43. (AMENDED) A method of preparing a multispecific antibody comprising:

- (a) selecting a first nucleic acid encoding a first polypeptide comprising an altered amino acid residue in an [the] interface of the first polypeptide, wherein the altered amino acid in the interface is an amino acid from at least one additional polypeptide, [is replaced with an amino acid residue on an additional polypeptide] and selecting at least one additional nucleic acid encoding said at least one additional polypeptide so that the amino acid residue on the additional polypeptide specifically interacts with the altered amino acid residue on the first polypeptide, thereby generating a stable interaction between the first and said additional polypeptides;
- (b) selecting a light chain encoding nucleic acid sequence, wherein the light chain is meant to associate with the binding region of each first and additional polypeptide of the multispecific antibody;
- (c) introducing into a host cell the first and additional nucleic acids and the light chain-encoding nucleic acid, and culturing the cell so that expression of the first and additional nucleic acids and the light chain-encoding nucleic acid occurs to form [the] a multispecific [bispecific] antibody;
  - (d) recovering the multispecific antibody from the cell culture.

#### Clean Set of Claims After entry of Amendment

- 30. A method of preparing a multispecific antibody comprising a first polypeptide and at least one additional polypeptide, wherein
- (a) the first polypeptide comprises a multimerization domain forming an interface positioned to interact with an interface of a multimerization domain of the additional polypeptide,
- (b) the first and additional polypeptides each comprise a binding domain, the binding domain comprising a heavy chain and a light chain, wherein the variable light chains of the first and additional polypeptides have at least 80% sequence identity, the method comprising the steps of:
- (i) culturing a host cell comprising nucleic acid encoding the first polypeptide and additional polypeptide, and the variable light chain, wherein the culturing is such that the nucleic acid is expressed; and
  - (ii) recovering the multispecific antibody from the host cell culture.
- 31. The method of claim 30, wherein the nucleic acid encoding the first polypeptide or the nucleic acid encoding the additional polypeptide, or both, has been altered from the original nucleic acid to encode the interface or a portion thereof.
- 32. The method of claim 31 wherein the multimerization domains of one of the first or additional polypeptides, or both, are altered to comprise a free thiol-containing residue which is positioned to interact with a free thiol-containing residue of the interface of the other of the first or additional polypeptide such that a disulfide bond is formed between the first and additional polypeptides, wherein the nucleic acid encoding the first polypeptide has been altered from the original nucleic acid to encode the free thiol-containing residue or the nucleic acid encoding the additional polypeptide has been altered from the original nucleic acid to encode the free thiol-containing residue, or both.

33. The method of claim 30 wherein the multimerization domains of the first and additional polypeptides comprise a protuberance-into-cavity interaction, wherein the method further comprises:

generating a protuberance by altering the original nucleic acid encoding the first polypeptide to encode the first polypeptide with an import residue having a larger side chain volume than the original residue, and

generating a cavity by altering a portion of the original nucleic acid encoding the additional polypeptide to encode the additional polypeptide with an import residue having a smaller side chain volume that the original residue.

- 34. The method of claim 33, wherein the steps of generating a protuberance or generating a cavity, or both, occurs by phage display selection.
- 35. The method of claim 33 wherein the import residue having a larger side chain volume than the original residue is selected from the group consisting of arginine (R), phenylalanine (F), tyrosine (Y), tryptophan (W), isoleucine (I) and leucine (L).
- 36. The method of claim 33 wherein the import residue having a smaller side chain volume than the original residue is selected from the group consisting of glycine (G), alanine (A), serine (S), threonine (T), and valine (V), and wherein the import residue is not cysteine (C).
- 37. The method of claim 30 wherein the first and additional polypeptide each comprise an antibody constant domain.
- 38. The method of claims 37 wherein the first and additional polypeptide each comprise an antibody constant domain selected from the group consisting of a C<sub>H</sub>3 domain and an IgG.
- 39. The method of claim 30 wherein the antibody is a multispecific immunoadhesin.

- 40. The method of claim 30 wherein step (i) is preceded by a step wherein the nucleic acid encoding the first and additional polypeptide is introduced into the host cell.
- 41. A host cell comprising nucleic acid encoding the multispecific antibody of claim 30.
- 42. The host cell of claim 41 wherein the host cell is a mammalian cell.
- 43. A method of preparing a multispecific antibody comprising:
- (a) selecting a first nucleic acid encoding a first polypeptide comprising an altered amino acid residue in an interface of the first polypeptide, wherein the altered amino acid in the interface is an amino acid from at least one additional polypeptide, and selecting at least one additional nucleic acid encoding the at least one additional polypeptide so that the amino acid residue on the additional polypeptide specifically interacts with the altered amino acid residue on the first polypeptide, thereby generating a stable interaction between the first and said additional polypeptides;
- (b) selecting a light chain encoding nucleic acid sequence, wherein the light chain is meant to associate with the binding region of each first and additional polypeptide of the multispecific antibody;
- (c) introducing into a host cell the first and additional nucleic acids and the light chain-encoding nucleic acid, and culturing the cell so that expression of the first and additional nucleic acids and the light chain-encoding nucleic acid occurs to form a multispecific antibody;
  - (d) recovering the multispecific antibody from the cell culture.

- 44. The method of claim 43, wherein at least one of the first and additional nucleic acids of step (a) are altered from the original nucleic acid to encode an amino acid in the interface that interacts with an amino acid of the first or additional amino acid residue thereby generating the stable interaction.
- 45. The method of claim 44 wherein the altering comprises generating a protuberance-into-cavity interaction at the interface between the first and additional polypeptides.
- 46. The method of claim 44 wherein the altering comprises importing a free thiol-containing residue into the first or additional polypeptide or both, such that the free thiol-containing residues interact to form a disulfide bond between the first and additional polypeptides.
- 47. The method of claim 43 wherein the first and additional polypeptide each comprise an antibody constant domain.
- 48. The method of claim 47 wherein the antibody constant domain is a C,3 domain.
- 49. The method of claim 48 wherein the antibody constant domain is from a human IgG.

000			_	_	_	<b>~</b>	-	-	_	_					_		王 グ ジ		_			4
200	-	2	6	4	2	9	1	8	9 10	0 11	12	_	1_	1_	16	17	18	19	20 2	21 2	22 2	23
Ax1.25	Ŀ	49	╀	$\vdash$	83			╄	9 49	6	45	80	46	48		1			50 5			ച
2 Axl.26	L	Ŀ	98	╀	52	_	52	707	77 7	1 49	<u> </u>				ш				97 9			
		L	,	49	53	_		_	⊢	2	Ш				_							, l
					82	83		Н	Ш	8	$\vdash$											ρlα
5 Axl.35	L				·	7				8		_			-							, l
6 Axl.36						•		_	_	8	_	_			-							<b>.</b>
7 Axl.47		_	_					_	-	8	-	_	_	I	-							2
8 Axl.51	_	L		L			H	┡—	-	4	-	_			_							ارد
9 Axl.75	$\vdash$	_	-			Γ	H	十	₩	5	├	-		_	-							N
10 Axl.78	$\vdash$			_			-	-	H	4	⊢	_										4
1 Axl.80	$\vdash$		L				-			•	⊢	_	ш		_							0
12 Axl.82	L	L	L								Ŀ		_	Ш	_					70		2/0
13 GCSFR32EA1	_	L	_				-					•	44	47								<u></u>
14 GCSFR.3.2E.D5	_	lacksquare	_	L									•	87	57							٦٢-
15 GCSFR.3.2E.D6		_	_	L			$\mid$	$\vdash$					·	•	9							310
16 GCSFR.32E.G5	lacksquare	_	_	L			-	-	_						_		88					ည
17 GCSFR.3.3E.C4		$\vdash$	L				$\vdash$	_	-	L		***	-	1			5					Ω
	$\vdash$			L				_	$\vdash$	L		¥.	<b>1888</b>		100	_				_		-
19 GCSFR.A4	-	ig	_																	73	ما	4
20 GCSFR.A5	lacksquare	-	ŀ						L											99	ω (	20/9
21 GCSFR.A8	_	$\vdash$											_	_		: 1 :	1	1	+		ام	7 1
GCSFR.F7	L	_									_								-	_	7	1
23 GCSFR.CB	_	L															7. 9.				-	Τ.
INE.D8	_	L		L				-	-			) (2)		- No. 10	**	34.4			/ LAS			Т
5 lgE.G2	$\vdash$	_					-		_							14 C				1		7
SloER.1A12	$\vdash$		L	L					-			Ц						1	1	+	+	T
27 lgER.1D11	$\vdash$	-	L					$ \cdot $			Ц							1	+	+	+	Т
3 lgER.1E10	$\vdash$		_											_				1	$\dagger$	+	+	T
9 IgER.MAT2C1G11	-							$\vdash$											-	+	╁	
0 Mpl.01											_	_	_					1	+	+	$\dagger$	
1 Mpl.02	$\vdash$										_								+	+	+	Ţ
32 Mpl.03	_	_	_		`						_	_			_				+	+	+	T
33 Mpl.04	$\vdash$		L	_																+	+	1
4 Mpl 05	$\vdash$	ig						-	-	_	_		1	がある。			3			-		
35 Mpl 06	$\dotplus$	$\vdash$	Ļ	igert				_	-	-	L	**	<b>美雄</b> 》	<b>新沙水</b>	1.00	(A)		なが	· 被意	635	TO SERVICE SER	
Mai 07	+	+	$\downarrow$	$\downarrow$			T	$\dagger$	$\vdash$	$\vdash$	ig	L	L						* * * * * * * * * * * * * * * * * * * *	:		
30 Mpl.07	$\dotplus$	$\dotplus$	+	+	L	$\mathbb{L}$	T	$\dagger$	+	$\vdash$	-	lacksquare	L	L	L							
/ Mpi.vo	+	$\dotplus$	+	+	1		T	+	+	$\downarrow$	igert	+	igert	L					H		Н	
30 Mpl. 1 1	+	+	$\downarrow$	$\downarrow$	1	I	†	ł	+	+	$\downarrow$	+	igert	Ļ	L		. 2°				H	
9 Mpi. 12	+	+	+	$\downarrow$	1		†	$\dagger$	+	+	$\downarrow$	+	$\downarrow$	_						$\vdash$		Γ
) Mpl.14	4	$\dashv$	4				1	1	$\dashv$	-	4	4	4	$\left\{ \right.$					1		1	



_		_							-	-			1		
L												-			ĺ
$\vdash$												1	-	1	
<u> </u>				_								1	4	_	
-										_		1	-		
$\vdash$								_	-			1	-		
-										_		1		$\downarrow$	
$\vdash$										_			+	1	
$\vdash$										-		1		_	1
$\vdash$									-	-			-	-	
-								_	$\dashv$	_			+	1	
<del> </del>										_		1	-		
-				_	_							-	$\frac{1}{1}$	$\frac{1}{1}$	
$\vdash$			_					·		;				1	
-				-						_		1			
$\vdash$				_	_		·							-	
-					_									_	_
					L			建设		San Miller	5-28-3	Section of	10000000000000000000000000000000000000		
$\vdash$				-			***	3.3		の数数	4.40	ALC: N	100 A	沙沙	
$\mid$				-	_						1945			) : :	
$\vdash$					L								-		_
$\vdash$	ŀ												-	$\frac{1}{1}$	
	-												-	$\frac{1}{1}$	
												_			_
			_				::4 :-						77.		
							iÿ.		The factor of the				Ť	_	
				_						*; *:		•		1	
													-		
										4		1	+	1	$\perp$
									-			4	+	1	1
								1	-						1
													-	$\frac{1}{1}$	1
						_		1	+	1				+	1.
						_						7	+	-	1
							Ţ.			-		20		4	-1-
			_					•		-				-	
										-		336			1
									+	$\dashv$		+	+	$\downarrow$	$\downarrow$
									$\dashv$	-			$\frac{1}{1}$	1	_
					-	_		+	+	+		1	$\frac{1}{1}$	4	$\downarrow$
					-			1	+	+	_	1	+	+	$\downarrow$
								_	-	-				•	

22

	T	T	T	1		T		T	T					1	T	1	1														7			5.5	3
t	$\dagger$	1	$\dagger$	$\dagger$	1	†	1	1	1	1		1	1			1		-		1	1	1				1			T	1	1			66	77
t	$\dagger$	+	+	†	†	1		1	1	1	1	1	1	1		1	_	変をお		1	1	1				1	1	1	1	·				,	ij
t	+	+	+	1	+	1	1		1	1	1	1						440	<u>, , , , , , , , , , , , , , , , , , , </u>	1		1	1							1				000	३
†	+	1	+	1	1	1		1	1		1		7	1		1				1			; (c		4									C	2
t	1	1		1	1							1					,	16					_		_									0	
1	1		1	1																					**************************************									•	
T	1					1																		13. 14. 14.										,	9
1																		-52	37							Ž.				·	24 2 5 - 1			7	5
1																													•	·			1.0		7
1	1																		: .															Š	13
1																																		_	2
1																																			읟
																																		Ц	တ
																																			8
																																			/
							L																												9
										L																									5
																																			4
							L					L									Ŀ														3
		L								L							L	L																	2
									L					_			L														L			Ц	-
וו.57 ר	84 her3.12	85 her3.16	86 her3.18	87 her3.19	88 her3.22	ner3.3	ner3.4	91 her3.7	92 obr. 1	93 obr.11	94 obr.12	95 obr. 14	obr.15	br. 16	98 obr.17	obr.18	100 obr.19	101 obr.2	102 obr.20	103 obr.21	104 obr.22	105 obr.23	obr.24	107 obr.26	obr.3	109 obr.4	110 vegf.1	111   vegf.10	112 vegf.2	113 vegf.3	114 vegf.4	115 vegf.5	vegf.6	117 vegf.8	Clone
83 h	34	851	861	871	88	168	106	91	9210	93	946	956	98	97/6	986	990	g	9	02(	03/6	04	95	90	07/2	80	60	<del>j</del>	11	12	<u> </u>	4	15	16	17	Ĺ

200

	<u>.</u>	4	63	65	44	21	9	က္ဆ	00	6	<u>وا</u>					E:	ဂ္ဂ	25	27	6/2	65	65	43	73	57	46	57	66	56	2		22	80	46	84	47	64	93	45	46	44
	2			2	4	20	45	49	76	72	65	49	64	45	9	65	59	27	9	65	2	2	46	68	9	45	9	6	9	65	09	55	09	45	99	48	75	64	47		
	1	- 1	73			49	47	49	8	75	99	48	62	47	6	65	28	28	8	99	74	75	46	2	60	47	9	9	59	99	59	57	28	47	63	47	73		47		
	8						46	48	80	74	65	47	61	46	8	64	27	57	59	65	73	74	45	70	59	46	59	09	58	65	58	26	57			46			46		46
	47	43	65	99	45	49	43	47	73	89	61	45	္ဖ	43	57	62	52	51	54	6	99	99	44	64	54	43	54	58	53	61	55	51	55	43	64	43	74	62	42	9	45
	46	8	48	49	99	82	82	83	48	49	46	85	45	83	44	48	42	42	44	46	49	49	97	48	44	83	44	46	44	46	46	42	45	82	48	8	20	46	82	73	99
	45	20	2	72	47	53	48	53	63	65	97	49	85	48	92	83	59	58	61	97	71	72	46	93	61	48	61	78	09	97	90	57	59	48	76	50	65	81	49	44	
	44	8	48	49	83	78	66	78	49	49	48	86	48	100	45	48	42	42	44	48	49	49	81	50	44	66	44	49	44	48	44	42	44						96		
H	43		47					79	48	48	47	85	47	100	44	47	42	42	43	47	48	48	82	49	43	66	43	48	43	47	45	43	44	66	47	80	48	47	95	96	84
	42	49	89	7.0	45	51	46	51	65	89	83	47	75	46	79	79	60	57	62	83	69	70	44	79	62	46	62	93	61	83	61	26	60	46	80	50	69	67	47	42	45
	41		48		100	82	82	82	48	49	46	86	45	83	44	48	42	42	44	46	49	49	97	48	44	83	44	46	44	46	44	40	44	83	48	81	51	46	83	81	100
	40	81	48	49	100	82	83	83	48	49	46	85	45	84	44	48	42	42	44	46	49	49	86	48	44	84	44	46	44	46	46	42	45	83	48	81	50		83		$ \cdot $
MPL	39	78	43	44	80	9/	95	75	44	44	43	84	43	96	41	43	38	38	40	43	44	44	78	45	40	95	40	44	40	43						78			91	$\lceil \cdot \rceil$	
	М		_	_	_	_	-	5	に	8	8	8	7	10	2	3	2	2	<del>+</del>	8	٦	6	Ę	6	4	4	4	8	4	8	45	43	44	94	47	79	47	47	$\lceil \cdot \rceil$		П
	37	49	89	70	46	52	47	52	64	89	84	48	75	47	19	79	57	55	59	84	70	70	45	78	59	47	59	94	58	84	61	99	09	47	82	50		·			П
	36	51	92	77	50	55	48	53	74	78	99	52	62	48	63	67	65	64	29	99	77	77	49	67	67	48	67	65	67	99	67	63	89	48	75	51	ŀ				
	35	100	50	50	81	83	79	83	47	50	50	06	46	80	47	49	43	44	45	50	50	50	79	50	45	80	45	49	45	50	46	44		80	50						
	34	50	99	68	48	53	47	53	62	64	79	49	74	47	75	9/	71	99	72	79	89	89	47	74	72	47	72	85	7.1	79	75	29	74	47	ŀ						
	33	79	47	48	83	78	98	78	48	48	47	85	47	66	44	47	42	42	43	47	48	48	8 1	49	43	98	43	48	43	47	45	43	44	•							
	32	46	57	59	45	48	44	49	56	61	59	47	09	44	56	09	98	91	100	59	59	59	44	59	100	44	100	59	66	59	66	88	·								
	31	44	57	59	42	45	43	47	55	58	57	45	99	43	54	58	87	97	88	57	59	59	41	57	88	43	88	55	87	57	87	ŀ									
	7 1																			1_			1							09	ŀ										
Γ	29	49	7.1	73	46	52	47	52	64	99	100	48	85	47	95	90	59	928	61	100	72	73	45	94	8.1	47	6.1	80	09										Ŀ		
	28	44	58	09	44	48	43	48	57	62	09	45	61	43	.57	61	97	068	66	09	59	09	43	09	6.6	43	66	09					L	3			L				
E E	27	48	99	68	46	52	48	52	62	64	80	48	74	48	9/	76	59	57	61	80	67	89	45	75	61	48	61														
	26	44	59	61	44	48	43	48	58	63	61	45	62	43	58	62	98	<u>~</u>	100	61	9	61	43	61	100	43	•					Ŀ				1000	L				
	25																									1															
필	24	44	59	61	44	48	43	48	58	63	61	45	62	43	58	62	86	91	100	61	09	61	43	91	ŀ																





TABLE 6.4

TABLE 6.5



	n i	3	43	20	8	83	79		46		6	000	45	80	1	\$	42	43	44	49	20	20	7.9	40	44	စ္ထ	44	48	44	£ 5		<b>†</b> (	40	2	2		5	4 L	2 6	0 T	•
		46		75		49			8		99	48	62	47	9	65	28	28	00	99	74	2	46	2	9	47	8	09	59	90	59	۲	38	4/	63	4/	2)	64		4 5 7	
		44		ശ	4	솨l	4	48	и	ဖျ	ဖ	41	ဖ	4	58	ဖျ	တ	ᆔ	00	ဖ	8	ဖျ	43	ဖြ	$\simeq$ l	43		ဖ		တ	တဖြ	နှိုင်		43				59		9,	44
			94	96	49	52	48	52	9/	75	73	20	2	48	69	26	57	.58	59	73	95	96	48	77	59	48	59	89	58	2	28	زر	57	4 8	89						48
	75	51	83				6	2	8	<del>-</del>	-	-	7	6		6		:62				_	_	_		49		_	_	83	_	_	62	49		51		72	50	45	48
	74	2		48	66			82	47	48	45	85	44	83	43	47	S	ä		45	48	48	97	47	43	83	43	45	43	45	45		45	82	47		20			80	99
	73	49	7.1	73				52		99	100	48	85	47	95	90	59	<b>328</b>	61	100	72	73	45	94	61	47	61	80	90	00	09	22	59	47	79	50	99	84	48		46
	72		48		100	82		83		49	46	85	5	4	44	8	2	2%	4.	46	49	49	98	48	44	84	44	46	44		46			83	48		20		83	80	90
20.5	71		70		4	1 1			ဖ	9	88	4	1	4	Ľ.	8	S	\$	2	88	4	7	4	8	94	4		7		8	<u> </u>	જ	S	4		46	65	74		44	
88	70		70		44	50	45	50	62	64	86	46	83	45	93	88	-57	<b>*57</b>	59	98	70	71	43	92	69	45	69	64	58	98	58	55	57	45	77	48	64		46		44
	69	47	7.1	73				_			90		1	8	9	6	6	<b>\$2</b>	įĮ	90	72	£2:	46	06	19	48	19	94	09		9	57	59	48	4		99	76		44	47
	68	46	69		43	48	43	48	09	61	98	45	84.	43	06	98	52	.52	54	92	14	1.4	42	88	54	43	24	42	23	92	54	52	54	43	78	46	64	83	43	43	43
	67	49	7.1	73	46	52	47	52	64	99	100	48	<b>98</b>	47		06	59	.58	6.1	100	7.5	73	45			747					09	57	59	47	79	50	99	84	48		46
	99	81	48	49		82	83	83	48	49	46	85	45	84	4	4	4	3	4	46	4	4	O.						44	46	46	42		83	48	81	50	46	83		
	99	7.5	42	43	88	80	73	74	41	42	41	2	4							41	43	43	98	43	40	74	40	40	40	41	40	36	41			7	4		7	72	
L	64		70		45	51	46	51	63	65	66	47	84	46				*57°		66	<u>_</u>	_	4	6	9	46	09	80	59	66	59	56	58	46	78			83		42	
	63	46	7	73	46	51	47	51	65	99	83	47	80	47	84	88	58	127	19	83	72	73	45	83	9	47	09	74	59	88	59	56	58	47	73	47				43	
	62		73				47	49	80	75	99	48	62	47		L-	ـــ		<u> </u>	ļ.,,,	느	ᆫ		-		-		<u> </u>	_	$\vdash$	$\vdash$		$\vdash$	$\vdash$	1	$\blacksquare$		$\vdash$	47	43	47
	91	46	73	75	47	49	47	+-	+	-	99		62	_		_		_	_	$\overline{}$	$\overline{}$		_	9/	59	47	59			99	59	57	28	47	63				4	43	7
L	09	80	47		84		66	79	48	48	47	85	47	100	44	47	42	42	43	47	48	48	82	49	4	66	4	4	Ļ	4		43	44	66	4	80	Н	47	Н	96	$\dashv$
_	59	4	45	4	1	4	1	4	H	4	4	4	46	4	▙	4	4	4	-	4	4	4	4	49	4	44	4	4	4	4		49	47	4	-	4			4	43	7
<u>8</u>	58	45	46	47	48			48	4	4	Ͱ	<b> </b>	⊢	ļ	46	ļ	⊢	⊢	4		4	4	4	49	ᆫ	↓	┺	┺	⊢	48	Н	4	Щ	4		4	Ш	46	4	43	4
	57		59	9	44	4	43	4	╄	9	9	⊢	⊢	}	├	├	١	91	<del>ا</del>	╂	-	<del> </del>	<del> </del>	61	ŀ	╂	ŀ	┼-	├-	9	ш	8	100	4	72	45	┝	┢	Н	40	44
_	. 56		_	က	_	1	<u></u>		4		49			_	_	_	1	4	4	_	3	_	_	51	_	77	4	50	4	4	14	4	-	7			H	5	Н	7	0 81
	55		-	-	+		83	83	48	149	46	85	45	84	44			142	44	46	49	49	86	48	44	84	44	46	4	1	46		L.	Ŀ	*	8	Ш	_	83	Н	100
X	2	1 79	4	4	100	77	₩	₩	╄-	⇤	47	⊢	▙	i.	<u> </u>	<u> </u>	41	44	42	47						86					$\vdash$	ŀ	_	86 (	Η-	<del>-</del>	_	_		3 95	8
	. 53				84	1	0		4	<u> </u>	47	1		L	4	4	4	*	4	47	4	48	180	7	7	66	4	4	4	4	4	43	4	ြ	4	8	4	_	6	96	8
	52	6/	47	48	83	77	98	78	48	48	47	85	47	6	44	47	4	4	42	47	48	48	8	49	42	86	42	4	42	47	44	42	43	86	47	79	4	4	94	98	8

The second

TABLE 6.7



	6/:	_								Ŀ					$\downarrow$					X		9					$\downarrow$				Ŀ		,	•		·
	78											_	}							7																
	77	_									:			L									L									·				
1000	1/6		1,000			-+			7	Ŀ		7	_ `	_					No.	1.00																
	7.5		14.00		1						Α.	Service Servic						_																		
	74		23.37					4			1.4.2	<b>建</b>							1		X				;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;											
	73	8.3%	100 m	1.5							1								200																	
	172			:	 							100 C	_						S. Color	ALC: UNIVERSITY OF							•						٠.			
	E		,						· ;	ŀ	L								X.	1000																
	2				•		_											_1	No. of the last	Section :															·	
	69											後 子子								0.45				:,												
	89									.		£	_							· 建交流		-		•												
	/9		Ŀ										9.00 m																							
,	99			Ĺ					·		L	经的政策	\$ 10 m	,												·									Γ	
	65			L					·			$\phi \phi \chi_{\rm c}$	5. p	· ;						5.6			;						,							
4	64						·					1.42		_					Ž.	18.08.0		·;'														
4	63		-		L	·						3. C.	10.00						<b>X</b>	**					·	·										
3	62										L	*	J. Berger							A. 45																
٠	9		L		L								1				·		*	Property.		·							-							
2	9		L																										-	•						
_	59		L								L																									
2	58		L					L								Ì																				
_	12		1	L		L																														
-	56	1		L	L		_			_											_											ļ				
-	55	╀							11.00	-	-		7334					Ž,				1 (4) 1 (4)			; ; ;								L			
	+			Ŀ	1	L				_1	+								2000年	_						*		·						Ŀ		
-	53		32		L	L	Ĺ		M+ *.							:.	***		经营业			·	1.7 1.	- :			٠.		:							
7	53																														<b></b>					•

1/2



		<u>.</u> ارچ		48	84	78	66	6	48	8	47	: Q	\$	0			42	42	<u> </u>	\$	8	8	82	64	43	66	43	8	4	\$		2	44	201	7 6	2	10			900	
	106	शं	9	47	82		96	2	47		46				43	46	41	14.1	42	46	47	47	8	8	42	97		47			44		5		9 0				28	500	
-	ज़ऻ	2	ալ	9	64	53	48	53	72	2	23	20	श	48		74	59	000	9	23	vi	흲	48	73	-	48	-	68	9	2	09	S	59	48		200				44	49
			33	75	47	49	47	49	80		99		70	47	61	65	ω	ωİ	öl	စ	4	75	46	2	09	47	09	္	59	99	20	2	28	\$	63		2		47	43	4/
	ဗ္ဗ	9	6	히	_	$\dashv$	တ		Ö	6	6	06	S	0	စ	ω								49	44	80	44	48	44	<del>\$</del>	46			79	<b>91</b>				6/2		
H	2	7		8	က	8	98	.79	48	48		85	47	66	4		ä	ä	က	47	ထ	48	-	6		8	43	48	43	47	45			88		္ဆ				95	
5	$\mathbf{c}$	히	7	8	83	7		8	48		47	84	9	8	44	7	Ñ	2	က	47	48	48	81.		43	126	43	48	43		45			2			8	4		94	
Ħ	5	히	49	20	81	83	16/	83	46	49	49	8	45	80	46	8	_	6	4	49	50	50	19	49	44	80	44	48	44		46			79	$\mathbf{u}$	9	2	49	62	78	81
	_	00	6	0	1	3		ေ	9	6	6		2	80	46	8	42	Ö	44	49	50	20	79	49	44	80	44	48	44	49	46		46	62	20	9		49	62	82	<u>=</u>
-	╙	8	9	0	-	8	6	8	46	6	6	90	45.	. 08	46	8		33		_			1		*	80	4	8	4	9.	46			79	20	9			79		8
F	Ш	79 1	·	8	8	8	_	6	6	$\vdash$	7	85	47	-66	44	8	2	2	3	7	8	_			~	98	43	48	43	47	45	43	44		47		48			95	
$\vdash$	9		3	75	7	6	<b> </b>	6	80	12	99	48	62	47	61	.   99		583		99				70	60	47	09	09	69	99	89	57	58	47	83		73			43	
-	Н	8	5	┞	5	_	5	0	99	7	2	7	81	45	88	4	1		63	92	19/	77	44	87	63	45	63	78	62	92	62	59	62	45	81				46	42	45
$\vdash$		- 2	6	능	8	l	-	-	48	6	6	4	6	5	9	8	Ĭ.	2:	4	<u> </u>	6	6	Ļ	50	44	94	44	49	44	49	46				49		50		94		83
	H	Н	47	8	4	Ͱ	8	6	8	8	-	9	1	6	4	_	42	42	43	47	48	48	82	49	43	86	43	48	43	47	45	43	44	86		79	48		94	95	84
	92		73	75			47		80	75	99		62	_	6.1	2	58	58	09	99	4	5	9	70	09	47	00	09	59	99	59	57	58	47	63	47	73	64	47	43	47
	9.1	85	51	52					49	50	49	95	47	98		6	3		2	6	52	52		51		98		49	45	49	47	46	48	85	49	85	51	49		83	
<b> </b>	90	44	59	61	44	48	43	48	58	63	6.1	45	62	43	58	62	86	91	00	61	09	6.1	43	61	00	43	00	61	66	61	66	88	100	43	72	45	67	29	44	40	44
	1 1	-	-	<del>                                     </del>	H	╁		+	┢	<del>  _</del>	1.0	<del> _</del>		t	$\vdash$	<u> </u>	_		<u></u>	一	口	1	<u></u>	L	┢		片	ऻ		5		1	6	7	3	1/	3	+	Z	43	$\Box$
H	88				1	1	1	ł		ŀ	,	1	ı		I	1	L	L		L			1	L .	<u>.                                    </u>			1	_		_		_	_		_	-	_	_	83	_
	L				_	_	_		_	_						_		┺	_	-	—	┺	┺-	-	₽-	-	•	₩	₩	╄		-	┿	₩	-	_	_	-	-	44	$\boldsymbol{\vdash}$
Her3		L	l .	L	<u>L</u> _	<u> </u>		1		<u> </u>				1	L	<u> </u>	<u>-</u>			_	-	_	┺-	٠	_	┺		-	┺	⊢		_	₩-	-	⊢	⊢			↤	96	$\vdash$
F				1	_									_	_			_	_	_	_	_	_	_	-	-	-	-	-	┿		_		←	-	-	-	-	-	43	-
	84	51	92	94	49	54	49	54	75	80	76	51	70	49	7.1	75	63	62	65	76	93	94	48	76	65	49	65	69	64	76	64	61	63	49	72	51	79	7-1	50	45	49
									_	_			_		_	_	_	_	_	┺-	<del></del>	-	┺	-	┺	-	┺	-	+	-	-	-	+-	+-	┿	-	+	<del></del>	1	83	-
	82		_						46			1												_					_				_	_				6	6	78	H
	$ldsymbol{\sqcup}$	Ŀ	ᆫ	<u> </u>	_		1_				L.,	L		_	ட	_	ᆫ	ᆫ	L_	1	ᄂ	┺	٠.	┺	┺-	╄-	₽	₽-	┺	╄	╄	⊢	╄	╄	⊢	⊢	┡	46	83	80	9
		_	_	_		_		_	_	_			_			_	_		_			_												_	_		_	_	_	42	



TABLE 6.10

10   11   12   13   13   14   14   15   15   15   15   15   15	<u> </u>		•		- TA	_	_	_	_	_			=T	_	_		1	_	16	<u> </u>	_	<b>-</b>	_	_	_	<u> </u>	-		_	Т			F.				т.	Т.	Τ.			ר
1		\$ \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \			000			\$	4					200			2 0		<u> </u>	_	4	4	-+	-	- 1	-		-	4	<u> </u>	4/6	+	4 0	0			4	4 0	γ	9 0		익
1				<u>ה</u> י					46	44	45	9 1	6	90	0	ं	4 .	4 0	4 C	) S								42	47													
10   10   10   11   12   12   12   12								4	75	2	65	ξξ.	48	φ γ	20 1		ا و	4	46	4	75	75	73	72	43	4	^			닏	<u> </u>	4 1										
1				48	2	4	44	99	00	8/	58	47		47	\$ 6	49	09	47	46	47	9	00	67	65	42	47	99	9	89	8	99	4	99		9	S S	ဖြ	$\sim$ I'			, .	_
1											47	6			٦		44	45	45	80	46	46	46	48	72	8	49	46	47		45		40		2	4 3		46	왕		~1,	
1						2	43	46		45	46	86	66				4	46	44	66	41			46	73	83	47	43	48	45	46	83	47	82	49	48		47	8			
100   81   84   45   45   85   47   84   47   44   84   47   85   85   85   45   45   45   85   85																	43	47	45	86	47	47	47	46	73	83					48	83		82	49							
100   101	81	49	8	8	20	8	£	45	46	47					<u>.</u>	<u>~</u>	4	45	45	8	46		46	48	72								49		51			46	100	45	<u>@</u>	
100   81   84   49   45   83   47   84   47   44   84   47   84   84	81	49	8	8	20	8	43	45	46	47	47	79	80	79	8	<u></u>	ΨI	4/1	471	$\smile$	v		46	48	72	81	49	46	47		45		49	8	51			46	100	45	81	
1	81												80	79	8	8		S	2	0	46	48	46	48	72	8.1	49			47	45					49	44	46	90	45	8	
100   81   84   49   45   45   83   47   84   47   44   44   47   84   47   83   82   46   47   48   48   48   48   48   48   48			1						47	45	46	98	66	98	83	76	43	9	4:	9	7						47	43	48	45	46	83					43					
100   81   84   49   45   83   47   84   47   44   84   47   84   47   84   84	47					47								47	47	49	9	7	ô	12	_	100	67				99	09	68				99	46	67	79		100				
45         49         45         83         47         84         47         44         84         47         89         45         86         46         62         48         64         46         48         86         46         46         48         86         47         43         86         47         95         86         47         95         86         47         95         86         47         95         86         47         95         86         47         95         86         47         95<							63	71	72	65	77	45	45	45	45			45	4.5	45	72	72	82	91	41	45	92	91	83	90	81				77	77						
45         49         45         83         47         84         47         44         84         47         84         47         48         47         48         47         48         46         47         47         47         47         47         46         86         47         47         47         47         46         47         47         46         47         47         47         47         46         47         47         47         47         47         47         47         47         47         47         47         47         47         47         47         47         47<		48	95	98	20	82	45	47			47	94	95	94	83			6.	4:	5	8	8	8	8	8	6	49	45	49	47	47	83	49		51							
45         46         47         44         45         46         46         46         46         46         46         46         46         46         46         47         47         40         46         46         47         47         46         63         48         47         47         48         64         47         48         64         47         47         48         64         47         47         48         64         47         47         48         64         47         47         44         47         44         47         44         47         44         47         46         80         50         40         47         44         47         46         80         50         40         47         47         46         80         50         40<	83								47	45	46	98	66	98	84	77		46	4.3	6	Image: Control of the											84										
100         81         84         49         45         83         47         84         47         44         86         46         62         48         64         62         48         86         49         47         100         46         86         47         43         86         48         49         47         100         46         86         47         43         86         48         46         67         48         86         48         46         47         43         86         48         47         44         46         86         40         47         46         86         47         44         47         46         86         46         47         44         47         46         86         46	47	64	47			47	74		100	78	58	47	47	47	47			1	9	7		100	67	65	42	47		09	89	64	99	47	.99	46	29	79	9	100				
100         81         84         49         45         83         47         84         47           45         49         48         70         92         46         63         48         47           45         49         86         49         47         100         46         86         47           47         50         50         75         77         48         61         50         65           5         99         80         86         50         48         47         47         47           4         45         49         80         59         46         84         47         48         47         44         47         46         80         60         47         46         47         48         47         48         47         48         47         48         47         48         47         48         47         48         47         48         47         48         47         48         48         48         48         48         48         48         48         48         48         48         48         48         48         48         48	84										47	85	98	85	85	80	45	48	46	98	50	50	48		75	85	49	45	49		47				51					49	85	85
100         81         84         49         45         83         47         84         47           45         49         48         70         92         46         63         48         47           45         48         80         86         49         47         100         46         86         47           47         50         50         75         77         48         61         50         65         65         68         47         47         47         47         47         47         47         47         47         47         48         47         48         47         48         47         48         47         48         47         48         47         48         47         48         47         48         47         48 </td <td>44</td> <td>62</td> <td>43</td> <td>44</td> <td>61</td> <td>44</td> <td>54</td> <td>59</td> <td>09</td> <td>61</td> <td>57</td> <td>42</td> <td>43</td> <td>42</td> <td>44</td> <td>46</td> <td>100</td> <td>49</td> <td>48</td> <td>43</td> <td>59</td> <td>09</td> <td>09</td> <td>09</td> <td>40</td> <td>44</td> <td>61</td> <td>54</td> <td>61</td> <td>59</td> <td>59</td> <td>44</td> <td>61</td> <td>43</td> <td>64</td> <td>59</td> <td>100</td> <td>09</td> <td>44</td> <td>59</td> <td>44</td> <td>44</td>	44	62	43	44	61	44	54	59	09	61	57	42	43	42	44	46	100	49	48	43	59	09	09	09	40	44	61	54	61	59	59	44	61	43	64	59	100	09	44	59	44	44
100         81         84         49         45         83         47         84         48         48         48         48         48         48         48         48         48         48         48         48         48         48         88	7	4								1									46	47	00	100	67	65	42	47	99	09	89	64	99	47	99					100	46			
100         81         84         49         45         83         4<	84	48	3	(0		₹	<b>+</b>	6		6			ြ	LO O	2	0	l C	æ	6	10	lo	10	ما.	48	75	85	49	45	49	47	47	85	49	84	51	52	45	50	85	49	85	85
100       81       84       49       45         45       49       48       70       92         84       80       86       49       47         83       80       86       49       47         47       50       50       75       74         47       50       80       80       47         47       46       50       80       60         44       47       46       50       80       60         44       47       47       46       50       80       60         8       46       45       47       47       47       47         44       47       47       46       50       80       60       60         8       84       80       86       49       47       40       60       60         8       84       80       86       49       47       40       60	47	63	46	48	61	46	68	75	9/	74	58	46	46	46	46	46	6.1	44	45	46	76	76	62	61	41	46	62	58	62	09	62	46	62	46	7.1	72	61	9/	48			
100         81         84         49         45           45         49         48         70         92           84         80         86         49         47           83         80         86         49         47           83         80         86         49         47           84         80         86         48         47           84         80         84         49         47           44         47         46         50         88         47           44         47         47         46         88         48         48           83         79         86         49         47         47         47           44         47         47         46         50         80         60         60           84         80         86         49         47         47         47         47         48	83	46	100	100	48	83	43	46	47	45	46	66	100	66	84	77	43	46	44	100	47	47	47	46	74	84	47	43	48	45	46	84	47	83	49	48	43	47	80	46	84	80
3       400       81       84       48 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>45</td><td>49</td><td>09</td><td>48</td><td>45</td><td>47</td><td>59</td><td>09</td><td>73</td><td>79</td><td>40</td><td>45</td><td>80</td><td>78</td><td>74</td><td>78</td><td>72</td><td>45</td><td>80</td><td>44</td><td>70</td><td>29</td><td>09</td><td>09</td><td>47</td><td>59</td><td>45</td><td>47</td></td<>															45	49	09	48	45	47	59	09	73	79	40	45	80	78	74	78	72	45	80	44	70	29	09	09	47	59	45	47
100 81 8 45 40 81 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	49	70	49	50	75	49	68	80	80	72	99	49	49	49	49	52	65	49	48	49	80	80	76	75	44	49	76	72	76	74	75	49	9/	48	98	06	65	80	51	80		
100	84	48	86	98	50	84	44	49	l <sub>r</sub> O	4	4	Iω	lω	ူထ	lω	lω	4	4	4	l <sub>®</sub>	ابر	بهار	14	.  4		۳	٦	L	4	A	A	٣	<u> </u>	8	လ	သ	4	5	0	4	œ	85
100 100 100 100 100 100 100 100 100 100							43	45	46	47	47	79	80	79	81	8	44	45	45	80	46	46	46	48	72	1 20	49	46	47	47	45	81	49	81	51	49	44	46	100	45	81	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	100		84	83	47	66	45	46	47	47	44	83	84	83	100	81	44	48	46	84	47	47	46	45	88	9	46	43	47			100	46	66	49	49	44	47	81	46	Ŀ	
	46	63	46	47	64	46:	73	98	66	77	57	46	46	46	46	48	59	46	45	46	0	60	99	85	4	4 R	65	20	87	64	65	46	65	45	99	78	59	66	45	1	1	

**TABLE 6.11** 

	0 1	44	00	9	86	<u>;</u>	43		47	66	95	45	47	66	86	8	80	O C	ò	ე ე	80	47	48	26		1	T	T	1		7	_					62	
2	ω	-+	-		85					_	Щ	ш	46	╙	L.		78	À U	S C	96		46	47	<b> </b>	1.0	-	+		1								106	Ç
2	4			္ဖ	-		_	52		⊢	50	H	<del>ا</del>	⊢	⊢		202			ω	50	75	•			+		1	<i>;</i>								105	1 80 cm
50		$\dashv$		$\dashv$			i	50	1001		48	72	90	47	46	46	9 4		3	$\dot{-}$	46				+			1					.::		:	7	104	19/10
85	-	-			ш	$\overline{}$	$\vdash$	85	_	79	82	48	┰	╌	9	S			डा	80	•							1					1.				103	
86		47	┝┯┤	$\vdash$	86	47	43	98	47	98	94	45	╄	₩.	_	+			3/6										·								102	\$2.50
85	6	47	98	45	85	47	43	85	47	26	93	45	47	6	0,0		» c	2 / 2			7.5							,	÷		٠.					X	F	F
85	51	47	80	48	85	46	44	85	46	62	82	48	46	0	3 5		2	363.		5	W. C.		1 2			1	A 200 %	, i					S.				100	
85	51	47	80	48	85	46	44	85	46	0 /	82	48	46	0/	200	3		400	W. W.	1944							2000			Ŀ	Ŀ						66	Section 1
85	51	47	80	48	85	46	44	85	46	200	200							**************************************	- C.	135										L							98	
85	49	47	66	46	85	47	43	85	47	αo	80	45	47					e les	3. 4	16.										L							6	4-4
50	80	9	47	76	50	100	9	50	100	2 2	A A	7.5	3 '					35	N.	14.74°									77.1	Ŀ			L				96	12.0
49	82	77	45	65	49	72	83	49	7.9	7 2	27	-	•						記載	10 mg (10 mg)					- 1	-	1. Com.	7				$oldsymbol{\perp}$		Ŀ			95	
85	51	48	95	48	85	48	2 4	85	β																			Ŀ		Ŀ	L				$oldsymbol{\perp}$		94	+
87	49	47	66	46	87	_	ㅗ	2/2	:   -		<u>. </u>								Same?			1			1		10 Met							1	1	1	60	
<u> </u>	8	<del>-</del>	+	+-	50		_	200			1	1	1				_		To A. M.			1		_		11 V V V V V V V V V V V V V V V V V V			L	L	L	1	1	1	+	1	66	+
100	53	48	86	2 2		30	3 4	<u>}</u>		$\perp$	$\downarrow$	_			$\perp$				_		1	1	_	_	_				L		L	_	$\downarrow$	$\downarrow$	1	1	0	`
45	65		43	۳	7	╄	<u> </u>	<u>.</u>	1	1		1	$\perp$	1		_				L	$\downarrow$	1	$\downarrow$	_					L	L	-	1	$\downarrow$	$\downarrow$	$\downarrow$	1	00	-
50	2 0	9 9	7	1	2 6	<u>}</u>		$\downarrow$	1	1	1	1	_	1	_		_		L	ig	-	1	_	4		_				Ļ	-	+	$\downarrow$	+	1	+	08 	1
100	7	1	Γ	7	<u> </u>	1	1	1	1	$\downarrow$	1	1	1	1	_	_	_		L	<u> </u>	+	+	4	_	_	_		L	_	╀	+	+	$\downarrow$	+	$\downarrow$	$\downarrow$	7 88	
47	1	۲	기		<u> </u>	$\downarrow$	1	1	1	1	1	1	1	+	1	_	_			+	1	-	4	$\dashv$	4	_		L	ŀ	-	+	+	+	+	+	+	να σ	
88	) 4	╁		_	+	$\downarrow$	+	$\downarrow$	1	+	$\downarrow$	+	$\downarrow$	1	4	_	_	_		╀	1	+	$\dashv$	-	_				L	╀	$\downarrow$	+	+	+	+	+	7 2 2	- <del> =</del>
48	۳	<u> </u>	1	1	+	+	1	$\downarrow$	-	+	$\downarrow$	+	4	$\downarrow$	_	-	_			-	$\frac{1}{1}$	$\frac{1}{1}$	-	4	-		_		┞	╀	$\downarrow$	+	+	$\frac{1}{1}$	+	+	20	
53		1	+	$\downarrow$	_	+	+	$\downarrow$	$\downarrow$	+	$\downarrow$	+	-	+	4	-				+	$\downarrow$	+	-	-	_	_	_	L	$ar{}$	$\downarrow$	+	+	+	+	+	+	o c	
Ľ	1	-	$\downarrow$	+	+	+	+	4	4	4	-	4	4	+	_	-			-	+	+	$\frac{1}{1}$	-	-			_	-	1	+	+	+	+	+	+	+		20
-	1	$\downarrow$	+	+	$\downarrow$	$\downarrow$	+	1	+	+	1	+	+	-	4	_	_		-	$\downarrow$	+	$\frac{1}{1}$	-	-		<del></del>	$\vdash$	ŀ	1	+	+	+	+	+	+	+	+	_
+	$rac{1}{1}$	+	+	+	+	+	+	+	╪	+	+	+	+					6.5	变点		+			·		湯金		L			+	+	+				-	ρ Ο
L			1:		1		1		1			_1			: [	٠,	ي. ي		Å.	¥ .		.,				11 No.7		Ņ	L									<u> </u>

8 CS

•	4
٧	ė
Ģ	à
-	
ρ	9
•	1
E	-

	_			_		_							- 1				_					-1	_					_		-	_			_		7	-			_	_
	Clone	AxI.25	AxI.26	AxI.27	AxI.32	AxI.35	Ax1.36	AxI.47	Axl.51	AxI.75	AxI.78	AxI.80	AxI.82	GCSFR.3.2E.A1	GCSFR.3.2E.D5	GCSFR.3.2E.D6	GCSFR.3.2E.G5	GCSFR.3.3E.C4	GCSFR.A2	GCSFR.A4	GCSFR.A5	GCSFR.A8	GCSFR.F7	GCSFRCB	lgE.D8	lgE.G2	lgER.1A12	lgER.1D11	lgER.1E10	llgER.MAT2C1G11	Mpl.01	Mpl.02	Mpl.03	Mpl.04	Mpl.05	Mpl.06	Mpl.07	Mpl.08	Mpl.11	Mpl. 12	Mpl.14
		1	2	3	4	5	9	7	æ	6	10	11	12	13	14				18	19	20	21	22	23	24	25	26				30	31	32	33	34	35	36	37	38		\$
	117	85	51	52	85	83	85	84	49	50	49	96	47	86	46	49	43	44	45	49	52	52	83	51	45	86	45	49	45	49	47	46	46	85	49	85	51	49		83	82
	116	85	52	53	83		84	83	50	51	50	<b>9</b> 6	48	85	47	20	44	45	46		53	53	81	52	46	85	46	50	46		46	45	46	85	20	85	54	20	83	83	83
	115	49	71	73	46	29	47		64		100	48	85	47	96		69	28	61	100	.72	73	45		61	47	61	80	9	100	09	57	29	47	29	20		84	48	43	46
	114	48	70	71	48	51	46	50	77	72		20		46	62	99	29	22	61	99	20	71	47	69	61	46	61	62	9			55	09	46		49		9	46	44	48
VEGF	113	44	58	60	44	48	43	48	58	62		45	62		28	62	6	06	66	61	29	09	43	61	66	43	66	61	88	61		87	66		72	45	99	29		40	44
	112	08	47	48	84	78	66		48	48	47	85	47	100	44	47	42	42	43	47	48	48	82	49	43	66	43	48	43	47	45	43	44	66	47	80	48	47	95	96	84
	111	08	47	48	84	78	66		48		47	85	47	100	44	47	42	42	43	47	48	48	82	49	43	66	43	48	43	47	45	43	44	66		80			95	96	84
	110	85		52	98	83	85	84	49		49	92	4	8	46	49			45		52	25	83	51	45	98	45	49	45	49	47	46	46	85	49	85	51	49	84	83	
	109	67	70	72	46	52	47	52	64	99	66	48	84	47	94	8.9	58	57						6		L	09	ᆫ	29	66	59		<u> </u>	47	⊢	3	┡	83	48	43	46
	108	44	59	61	44	48	43	48	58	63	61	45	85	43	58	62	86	91	100	61	9	61	43	61	100	43	00 -	61	66	61	<u>66</u>	88	00	43	72	45	67	59	44	40	44
									•				(			_						とり	7	7	<u>۔</u>			(	, * . . ,	Ì											

•

.

																													T		1							_			_	
Mpl.16	Mpl.19	Mpl.21	Mpl.24	Mpl.26	Mpl.28	Mpl.29	Mpl.30	Mpl.31	Mpl.32	Mpl.33	Mpl.35	MusK.01	MusK.02	MusK.06	NpoR.25	NpoR.44	NpoR.53	NpoR.81	NpoR.86	Rse.01	Rse.02	Rse.03	Rse.04	Rse.07	Rse.08	Rse.15	Rse.16	Rse.18	Rse.20	Rse.21	Rse.22	Rse.23	Rse.24	Rse.52	Rse,53	Rse.58	Rse.60	Rse.61	Rse.63	her3.1	her3.10	<b>TABLE 6.14</b>
41	42		44				48	49	50	51	52	53	54	55	56	57	58	59	09	61	62	63	64	65	99	67	89	69	2	7	72	73	74	75	9/	77	78	2	80	8	82	
84	48	98	98	50	84	44	49	50	46	47	85	86	85	85	80	45	48	46	86	20	50	48	48	75	85	49	45	49	47		85	49	84	51	52	45	50	85	49	85	85	
83	49	85	85	51	82	47	20	51	48	49	84	85	84	83	_78	46	49	48	85	51	51	49	49	80	83	50	46	50	48	48	83	5	83		53						85	
46	83		48		46	61	65	99	65			47	47	46	49	61	48	47	47	99	99	68	66	41		100	98	90	86	88	46	100	45	83	73	61	99	49	65	46	49	
49	65		48		48	94		79	66	09	46	46	46	48	09	61	45	46		78	79.		65			99	62	99	64	65	48	99	48	20	73	61	64	48		48	48	
44	62	43	44	61	44	54	29	09	61	57	42	43	42	44	46	66	49	48	43	59	09	09	09	40	44	61	54	61	29				43	63	59	66	09	44		44	44	
83	46	100	100	48	83	43			45			100	66	84	11	43	46	44	100		47	47	46	74	84	47	43	48	45	46				49	48	43	47	80	46	84	80	
83	46	100	100	48	83				45		66	100		84	77	43	46	44	100	47	47	47		74	84	47	43	48		46		47	83	49		43	47	80	46	84	80	
84	48	98	86	50	84	44	49	50	46	47	85	98	85	85	80	45	48	46	86	50	50	48	48	75	85	49	45	49	47	47	85	49		51	52	45		85			85	
46		47		96	46	6.1	65	99	65	78	47	47	47	46	49	09	48	47	47	99	99	88	98	41	46	66	94	90	97	88	46	66	45	82	72	9	99	49	65	46	49	
44	62	43	44	61	44	54	59	9	61	57	42	43	_	_	_	_	49	48	43	59	9	9	09	40	44	61	54	61	59	59	44	61	43	64	59	100	9	44	59	44	44	

her3.11	her3.12	her3.16	her3.18	her3.19	her3.22	her3.3	her3.4	her3.7	obr.1	obr.11	obr.12	obr.14	obr.15	obr.16	obr.17	obr.18	obr.19	obr.2	obr.20	obr.21	obr.22	obr.23	obr.24	obr.26	obr.3	obr.4	vegf.1	vegf.10	vegf.2	vegf.3	vegf.4	vegf.5	vegf.6	vegf.8	Clone	
83	4	5	86		88					93				97	98	66	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117		
100	53	48	98	47	100	20	45	100	50	87	85	49	50	85	85	85	85	85	98	85	20	52	85	86	45	49	100	98	98	45	47	49	66	·	117	
66		49	85	49	66	51	46	66	51	98	83	51	51	84	85	85	85	83	85	85	51	23	83	85	46	50	66	85	85	46	49	50			116	
49	92	80	47	62	49	99	61	49	99	47	49	85	99	47	49	49	49	47	47	49	99	23	46	47	61	66	49	47	47	61	99	ŀ			115	
47	73	61	46	75	47	29	61	47	64	46	48	99	64	46	48	48	48	46	46	48	79,	11	45	46	61	99	47	46	46	61	Ŀ				114	
45	64	09	43	9	45	09	66	45	09	43	44	69	09	43	44	44	44	43	43	44	09	09	42	43	66	9	45	43	43	Ŀ				L	113	WEGF
86	49	47	100	46	98	47	43	86	47	66	98	45	47	66	80	8	80	86	66	80	47	48	97	100	43	47	98	100	Ŀ		L	L		L	112	Ц
86	49	47	100	46	98	47	43	98	47	66	98	45	47	66	80	80	80	98	66	80	47	48		100	43	47	98	Ŀ							E	
100	53		98	47	100	50	45	100	50	87	85	49	50	85	85	85	85	85	98	85	50	52	85	98	45	49	Ŀ				L			L	110	
49	75	79	47-	62	49	99	60	49.	99	47	49	91	99	47	49	49	49	47	47	49	99	72	46	47	09	·									109	
45		09	43		45		001	45	09	43	44	63	09	43	44	44	44	43	43	44	9	61	42	43	·				L	Ŀ		21 44 22 44 24 7 24 7		:	108	

() 100